

ElectroCap Project Proposal

Integrated Tele-Geriatric Health Monitoring Hub

Link website: <https://inside-health.netlify.app/>



Advisors and Mentor

- Scientific Advisor:
 - Scientific Co-advisor:
 - Coordinator:
 - Mentor:
-
- Orientador : Prof. Luís Caldas de Oliveira

Problem definition

Portugal is one of the most rapidly ageing countries in Europe, with a growing population over 65 requiring accessible and continuous healthcare.

Many elderly patients have non-urgent appointments scheduled far from their homes, facing barriers such as limited transportation and reduced mobility. These challenges contribute to missed appointments, delayed care, and increased inefficiency in healthcare services.

Although teleconsultations offer an alternative, they remain clinically limited. Physicians cannot collect essential physiological data, such as heart rate, respiratory sounds, or ECG signals, compromising diagnostic reliability and the quality of clinical assessment.



More than 4% of the Portuguese population (≈400,000 people) reported unmet medical needs due to barriers such as distance, costs, or waiting times.



Approximately 24% of the Portuguese population is aged 65 or older (≈2.5 million people).



More than 55% of elderly people in Portugal have at least one chronic condition. (≈1,4 milhões)

Solution beneficiaries

The elderly, as they would avoid long journeys to attend face-to-face appointments and could benefit from more comprehensive and effective teleconsultations.



Family members would no longer need to compromise professional and personal time for distant appointments, while gaining greater confidence in their relatives' health monitoring.



Doctors, who would be able to see more patients, have a more organized schedule, and conduct teleconsultations with more reliable diagnoses



And, possibly, the rest of **the population**, who could also benefit from using the same device in a teleconsultation context.



Technological solution



Wearable Biometric Acquisition Module

The proposed solution consists of a wearable platform integrating biomedical sensors for the acquisition of physiological signals to support teleconsultation. At this stage, the project focuses on defining the target signals and selecting appropriate sensing technologies, ensuring reliability, user comfort, and clinical relevance.

Real-Time Data Transmission

Biometric data are transmitted in real time to the cloud, where they are stored and processed. The information is then forwarded to the hospital server and is immediately available to the medical team during the teleconsultation.



Clinical Interface & Monitoring

The doctor at the hospital receives the patient's vital signs in real time, properly organized. On the desktop interface, the heart rate graph and its corresponding values are displayed, as well as the respiratory rate values and both cardiac and respiratory sounds.



Technological solution



Why biomedical sensing?

Stable Signal Acquisition

Reliable physiological monitoring using wearable biomedical sensors requires consistent sensor placement and adequate signal quality to ensure clinically useful measurements.

Ease of Use

The sensing system must minimize user interaction and complexity, particularly for elderly users with limited technological familiarity.

Simultaneous Monitoring

Remote consultations require the acquisition of multiple physiological signals through integrated sensing modules in real time to support clinical assessment.

Clinical Consistency

Sensor-based measurements must be repeatable across consultations to enable longitudinal comparison and support medical decision-making.

Competitors and previous work



- ✓ Provides teleconsultations
- ✗ No integrated physiological monitoring



- ✓ Clinical telehealth platform
- ✗ Requires multiple external devices



- ✓ Clinical-grade monitoring
- ✗ Expensive solutions

Our key innovation is the integration of sensing, teleconsultation and a medical monitoring platform in one workflow.

Engineering Requirements

Functional Requirements

- Acquire ECG, respiratory, and cardio-pulmonary acoustic signals.
- Estimate heart rate and respiratory rate in near real time.
- Enable remote auscultation.
- Transmit data wirelessly to an external interface.
- Support optional local data and audio storage.
- Provide visual indicators and simple session control.

Non-Functional Requirements

- Latency < 1 s.
- Battery life \geq 4 h.
- Lightweight wearable (< 300 g).
- Low active power consumption (~500 mW target).
- Easy to use by elderly users or caregivers.
- Low-cost, scalable architecture.

These requirements define the technical foundation of the prototype, guiding its hardware, firmware, and communication architecture.

Description of the main blocks

Biomedical Acquisition Layer

Integrates the sensors responsible for collecting the user's physiological signals, namely heart rate, respiratory rate, and cardiac and pulmonary sounds.

Local Processing Unit

The microcontroller is responsible for the acquisition, synchronization, and preprocessing of biomedical signals, while also managing local storage and the overall operation of the device.

Data and Cloud Layer

Responsible for receiving, storing, and organizing the transmitted data, enabling structured access to measurements and supporting future processing and analysis functions.

Analog Conditioning Layer

Performs signal conditioning before digital acquisition, including protection, amplification, and filtering, in order to improve signal quality and reduce noise.


Wireless Communication Layer

Ensures the transmission of biomedical data to an external device or remote platform, guaranteeing low latency and communication reliability.

Clinical Interface

Provides healthcare professionals with near real-time visualization of physiological parameters and access to relevant biomedical information during the teleconsultation.

System Architecture



Solution requirements

▪ Technical System Requirements

The system must integrate biomedical acquisition, secure communication, and data processing components, ensuring real-time transmission, reliable storage, and structured availability of information to healthcare professionals:

Hardware - Integrates biomedical sensors for respiratory rate, and auscultation, a processing unit for signal acquisition and preprocessing, temporary local storage, and a rechargeable battery with adequate autonomy, anticipating future certification as a medical device.

Local equipment - Terminal compatible with the clinical platform, HD camera, two-way audio system, certified power supply, and device charging station.

Communication - Ensures secure data transmission via Bluetooth/Wi-Fi/4G, with end-to-end encryption and fault tolerance mechanisms to ensure continuity in monitoring.

Cloud Platform - Enables real-time ingestion, secure storage, and automatic processing of biomedical signals, maintaining a structured history of measurements.

Clinical Interface - Provides real-time visualization of vital signs, access to clinical history, and report export, with the possibility of future integration with hospital systems (HL7/FHIR).



Solution requirements

▪ Requirements for Local Health Access Points

To ensure the correct implementation of the telemonitoring system, local access points (e.g., parish councils, community centers, or social support units) must meet the following requirements:

Physical infrastructure - Private clinical space with adequate lighting, ventilation, soundproofing, and accessibility for people with reduced mobility.

Local equipment - Terminal compatible with the clinical platform, HD camera, two-way audio system, certified power supply, and device charging station.

Data Security and Protection - Secure authentication, end-to-end encryption, access control, and GDPR compliance.

Connectivity - Stable internet connection with low latency and redundancy system (4G/5G) to ensure service continuity.

Operationalization - Sanitization procedures, basic training for the local manager, and remote technical support.



Technical challenges



Functioning Between Different Users

The system must function correctly for different users, maintaining stable performance and allowing disinfection between uses.



Maintenance and Sensor Durability

Frequent use and disinfection can cause wear or loss of accuracy, requiring regular maintenance, possible replacements, and performance verification to ensure clinical reliability.



Reliable Biomedical Signal Acquisition

Obtaining reliable biomedical signals outside of a clinical environment is challenging due to noise, movement, and variations in sensor positioning, requiring stability in measurements.



Fault Detection and System Self-Diagnostics

Detecting sensor or system failures in real time is a challenge, requiring self-diagnostic mechanisms to identify abnormal readings, loss of contact, or hardware faults.



Hardware–Software–Clinical Integration

Coordinating the physical device, data processing, and the medical interface is a technical challenge, requiring synchronization to ensure reliable operation.



Battery Safety and Power Management

Ensuring battery autonomy while guaranteeing patient safety is a challenge, as lithium batteries may pose risks such as overheating or failure, requiring protective systems.



Data Security and Patient Privacy

Protecting sensitive biomedical data requires secure transmission, encryption, and compliance with healthcare data regulations.



Medical Device Certification and Regulatory Compliance

Meeting medical device standards is a challenge, requiring strict safety, reliability, and clinical validation requirements.

Partners



FINAO
BIOTECH

*INSPIRED
BY OUR PAST
DRIVEN
BY OUR FUTURE*

Finao Biotech

This company operates in the biotechnology and healthcare sector. It is dedicated to the development, production and marketing of innovative solutions, including medicines, medical devices, cosmetics and food supplements. It operates across the entire value chain, from research and development to distribution, with a focus on improving quality of life and expanding into international markets.



Health Centre

A primary healthcare centre provides medical and nursing care, focusing on health promotion, disease prevention and regular monitoring of patients. It operates with a multidisciplinary team, ensuring local and continuous care for the community.

Note: We have chosen to keep these two entities anonymous for security reasons. They are two potential partners with agreements currently being finalised, but not yet formally concluded. For this reason, their anonymity is being preserved.

Stakeholders

Key Stakeholders Identified

- Healthcare Technology Company
- Health Centre

Importance of Stakeholder Engagement

- Ensures alignment with real clinical needs
- Supports validation of the proposed solution
- Bridges the gap between technology and healthcare practice

Added Value

- Access to expertise (clinical & technological)
- Availability of infrastructure and real use contexts

Role of Stakeholders

Healthcare Professionals

- Validate relevance and quality of biomedical data
- Ensure integration into clinical workflows
- Provide clinical feedback

Elderly Users

- Assess usability, comfort, and ease of use
- Identify practical limitations (e.g., low digital literacy)

Caregivers & Local Staff

- Support system usage in real contexts
- Ensure correct operation and assistance

Real-World Testing & Validation

Stakeholder Contribution to Testing

- Provide access to elderly participants
- Ensure clinical supervision
- Enable testing in realistic environments

Testing Conditions

- Teleconsultation-like scenarios
- Use by representative users
- Real-world environments (e.g., health centres)

Evaluation & Outcomes

- Assess system performance, usability, and clinical impact
- Collect feedback from users and healthcare professionals
- Support iterative improvements and ensure clinical relevance

Testing and validation metrics



Testing Methods

- Functional system testing in a real environment;
- Use of the system by elderly users in teleconsultation scenarios;
- Evaluation of usability and ease of use



Validation

- Evaluation by a healthcare professional regarding the reliability of the solution;
- Collection of testimonials from elderly users;
- Analysis of the impact on users' quality of life



Key Metrics

- User satisfaction rate (%);
- Ease of use (rating scale);
- Perceived improvement in quality of life;
- Clinical validation of system reliability

Division of labor (I)

Pedro	Filipa	Madalena
System Design & Coordination	Software & Data Management	Telemedicine Platform & User Experience
Selected the electronic components and designed the hardware schematic	Developed and maintained the technical infrastructure of the project's website	Designed the teleconsultation interface for doctors to visualize real-time ECG and respiratory graphs
Assembled the physical prototype and integrated the sensors	Developed the communication firmware for real-time biomedical data transmission	Structured the clinical data display to ensure it meets medical workflow requirements
Ensured hardware-software synchronization and managed system-level integration	Configured and deployed the secure cloud database for storing physiological signals	Created multimedia content for the project's website
Managed technical requirements and communication with institutional partners	Executed data transmission stability and latency tests between the device and the cloud	Coordinated and conducted usability testing with end-users

Division of labor (II)

Luís	Guilhereme
Operations & System Integration	Testing, Validation & Performance Analysis
Defined the Standard Operating Procedures for the local health access points	Authored the formal testing protocols for the hardware and communication modules
Coordinated the physical deployment and integration of the system at the partner Health Centre	Executed sensor-level testing to ensure accurate acquisition of ECG and respiratory signals
Conducted operational stress testing of the complete system in a simulated real-world environment	Validated field performance and produced the final performance analytics report
Validated the final system integration ensuring all subsystems work cohesively	Defined operational scenarios for testing the device under different user conditions

Schedule

